

POLISHED



Collection_2023



About us /

At Top-notch tiles, building quality is our top priority, and it speaks for itself. Since our establishment in 2010, we have remained committed to delivering superior products to our valued clients. We understand that quality starts right from the selection of the finest raw materials for our products and continues throughout the entire manufacturing process. Our skilled labour meticulously oversees every step of production, ensuring that each product meets our high standards. We believe in the power of micro management to maintain consistent quality and address any potential issues promptly.

Innovation is at the core of our company's values, and our dedicated Research and Development team continuously explores new surfaces and designs. By closely examining various application aspects, we create dynamic designs and vibrant colors that captivate the senses. With a strong focus on quality and innovation, we take pride in offering products that not only meet but exceed our clients' expectations.

Our commitment to excellence drives us to deliver exceptional building materials that stand the test of time and enhance the aesthetic appeal of any project.



www.topnotchtiles.com



Message from Directors:



Top-notch tiles operates its manufacturing plant in India, along with corporate offices in London and Ahmedabad. We take great pride in our ability to deliver an exceptional level of service satisfaction to our valued clients. At the core of our operations is a relentless commitment to exceeding customer expectations.

We believe in going above and beyond to ensure that our clients receive the highest level of service possible. Our dedication to providing an optimum level of service sets us apart from others in the industry. When you choose our company, you will experience the difference in our unwavering commitment to meeting your needs. We strive to build long-lasting relationships with our clients by delivering exceptional service, prompt communication, and reliable support. Your satisfaction is our top priority, and we work tirelessly to ensure that we consistently meet and exceed your expectations.

Whether you require our products or services, you can trust us to provide an unparalleled level of commitment and dedication. We are confident that once you experience our level of service, you will see why we stand out from the competition.



Available
Format /



60x
120cm

60x
60cm


30x
60cm



Available
Thickness /



9mm



FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



ACURA BEIGE



ACURA WHITE



AMAZE GRIS



AMAZE NATURAL

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



AMAZE NERRO



ANTICO HAZELWOOD



ANTILA SKY



ARMANI EXOTIA CREMA

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



ARMANI LORIAL



ARMANI LORIAL BROWN



ARMANI LORIAL CAFÉ



ARMANI LORIAL CREAMY

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



ARMANI LORIAL NATURAL



ARMANI LORIAL NERO



ARMANI LORIAL TAWNY



ARORA ARMANI RUST

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING




ARORA ARMANI



ARORA ARMANI COCO



ARORA ARMANI WHITE



ASTONIA BLACK

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



ASTRUM SMOKE



BEIGE ARMANIA



BELGIUM NL



BOMANIA


FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



BOTTICHINO BRITON



BOTTICHINO FRITO



BOTTICHINO JERICO



BOTTOCHINO CARDIO

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



BRECCIA ERA



BRECCIA FIAGRO



BRECCIA FOG



BRECCIA KRNIS

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



BRECCIA LS



BRECCIA MIRANDA GOLD



BRECCIA PRIME CR



BRECCIA PRIME FAIR

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



BRECCIA PRIME SAND



BRECCIA SMOGY



BRECCIA SNAR



BRIO BIANCO

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



BRIO CARBON_



BRIO COCOA



BRIO IVORY



BRUSSELS BC

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE


- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING




BRUSSELS IRON



BURBERRY CREMA



BURBERRY GOLD



BURBERRY WHITE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



CARARA MACAROON



CLASSIC INKY BLACK



CLOUDY ARMANI



COZY FLAXE


FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



COZY NATURAL



COZY PASTEL



COZY SMOKEY



COZY SNOW WHITE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



CRIST TEN



DORLIN BEIGE



DORLIN BIANCO



DYNA ASPRO

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



DYNA MART



DYNA PARADISE CAMEL



DYNA SUPREME



EPOXY BLUE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



EPOXY GOLD



FANTASTICO



EXOTIA ARMANI BLUE



FINO NATURAL

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



FINO PEARLY GOLD



FORD ARMANI



FORD ARMANI BIANCO



FORD ARMANI CREMA

FINISHES

MARBELLA WITH POLISHED

THICKNESS

9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



FORD ARMANI RUST



FRESCO SILVER



FRESCO CREMA



FUSION GOLD

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT




PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



GRAND ARMANI GREY



GRAND ARMANI ICE



GRAND ARMANI IVORY



INDIC SAPPHIRE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT




PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



JASTO COIN



JASTO PORPOISE



LUCIDO ARMANI



LUCIDO ARMANI LAWA

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



LUCIDO ARMANI VELVET



LUCIDO ARMANIBIANCO

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



LYSORIA TORTILLA



MADRID COFFE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



MADRID DOVE



MADRID FINO



MADRID GREIGE



MADRID VOLCANO

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



MARFIL CLASSIC



MARFIL GANACHE



MARFIL PERSIAN



MARMI DESERT

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



MARMO FUSION BEIGE



MARMO FUSION BROWN



MARMO FUSION GREY



MIAMI RAFFIA

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT




PORCELAIN
STONEWARE



NATURAL ARMENIA



NEXO SLATE



ONYX ATLANTO



ONYX CLASSIC WHITE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



ONYX CLUDY SKY



ONYX EXPOSED



ONYX FLORIM



ONYX LALIC

△ FINISHES
MARBELLA WITH
POLISHED

≡ THICKNESS
9 MM


↔ FORMAT



PORCELAIN
STONEWARE



ONYX NIMBUS



ONYX OLIVE



ONYX PEARL GOLD



ONYX RENOVA WHITE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT




PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



ONYX SEAM BLANCA



ONYX THUNDER



ONYX WAVES



OROBICO CREST

 FINISHES

MARBELLA WITH
POLISHED

 THICKNESS

9 MM

 FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



PERSIAN



PERSIAN ARGENTINE



PERSIAN CHALKY



PERSIAN NERO

FINISHES MARBELLA WITH POLISHED
THICKNESS 9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



PIETRA GUNMETAL



PIETRA MOCHA



PIETRA MURKY



PIETRA PEACHY

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



PIETRA TROUT



QUANTIC ASH

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



QUANTIC BEIGE



QUANTIC WHITE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT


60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



RIVIERA AZUL



SIENA LINEN



SIENA SEPIA



SIENA TAUP

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE


- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



SIENA WHITE



SILVER ARMENIA



STONEX FISSURE ASPHALT



STONEX SCOTCH MIST

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



THUNDER GRIS



TRAVERA BISCOTTI



TRAVERTINE BELGIUM



TRAVERTINE TITANIUM

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



TRAVERTINO MARVIE



TRAVERTINO NOCE



TURKISH NERO SHADOW



TURKISH PEBBLE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



VAINOS FOSSIL



VALENCIA OLD LACE



WILLIAM COLD PEWTER



WILLIAM FISSURE ALMOND

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



ZORANI NATURAL



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING

FINISHES
COLORATO WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION




RESISTANT TO
CHEMICAL




MINIMUM DEVIATION
FROM EDGE




UNDER FLOOR
HEATING



ACHROMIC BLACK



ACHROMIC BLUE



ACHROMIC GREY



ACHROMIC LIGHT

△ FINISHES
COLORATO WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING




ACHROMIC NATURAL



AFYON BEIGE



AFYON GOLD



AFYON NERO

FINISHES
COLORATO WITH
POLISHED

THICKNESS
9 MM


FORMAT



PORCELAIN
STONEWARE



AFYON WHITE




AFYON BLUE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



ALFA AZURO



ALFA KLEIN BLUE

FINISHES
COLORATO WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE




ALFA SILVER




ALFA TIGER

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



ALFREDO LIGHT



ALFREDO NATURAL

FINISHES
COLORATO WITH
POLISHED

THICKNESS
9 MM

FORMAT




PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



ARTISTIC BEIGE



ARTISTIC BLACK



ARTISTIC CREMA



ARTISTIC GREY

FINISHES
COLORATO WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE


- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING




ARTISTIC WHITE



BOSSY



BRUNO ASH



BRUNO BLUE

FINISHES

COLORATO WITH
POLISHED

THICKNESS


9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



BRUNO NERRO



BRUNO WHITE



BURBERRY BEIGE



BURBERRY GREY

△ FINISHES
COLORATO WITH
POLISHED

≡ THICKNESS
9 MM


↔ FORMAT



PORCELAIN
STONEWARE



BURBERRY NATURAL



BURBERRY CREMA



EBONY BLACK



EBONY BROWN


FINISHES
 COLORATO WITH
 POLISHED


THICKNESS
 9 MM


FORMAT



PORCELAIN
STONEWARE

- 
 HIGH MODULE OF
BREAKAGE
- 
 RESISTANCE TO
FROST
- 
 RESISTANCE TO
ABRASION
- 
 LOW THERMAL
EXPANSION
- 
 RESISTANT TO
STAINS
- 
 LOW
ABSORPTION
- 
 RESISTANT TO
CHEMICAL
- 
 MINIMUM DEVIATION
FROM EDGE
- 
 UNDER FLOOR
HEATING



EBONY GOLD



EBONY NATURAL



EBONY IVORY



EBONY WHITE

FINISHES
COLORATO WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING




EXOTIC STONE NATURAL



FEDERICO BROWN



FEDERICO GOLD



FEDERICO GREY

 FINISHES
COLORATO WITH
POLISHED

 THICKNESS
9 MM

 FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



FEDERICO NATURAL



FEDERICO WHITE



FENICE GREY



FENICE NATURAL

 FINISHES

COLORATO WITH
POLISHED

 THICKNESS

9 MM

 FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



FENICE WHITE



GLORIOUS BLACK



GLORIOUS BROWN



GLORIOUS IVORY

FINISHES
 COLORATO WITH
 POLISHED

THICKNESS
 9 MM

FORMAT


60x120cm

60x60cm

30x60cm

PORCELAIN
 STONEWARE

- HIGH MODULE OF
 BREAKAGE
- RESISTANCE TO
 FROST
- RESISTANCE TO
 ABRASION
- LOW THERMAL
 EXPANSION
- RESISTANT TO
 STAINS
- LOW
 ABSORPTION
- RESISTANT TO
 CHEMICAL
- MINIMUM DEVIATION
 FROM EDGE
- UNDER FLOOR
 HEATING




GLORIOUS WHITE



GRANITILO NATURAL



GRAZIA CYAN



GRAZIA GREY

FINISHES
 COLORATO WITH
 POLISHED

THICKNESS
 9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
 STONEWARE


- HIGH MODULE OF
 BREAKAGE
- RESISTANCE TO
 FROST
- RESISTANCE TO
 ABRASION
- LOW THERMAL
 EXPANSION
- RESISTANT TO
 STAINS
- LOW
 ABSORPTION
- RESISTANT TO
 CHEMICAL
- MINIMUM DEVIATION
 FROM EDGE
- UNDER FLOOR
 HEATING



GRAZIA IVORY



GRAZIA NATURAL



GRAZIA WHITE



ICONIC BEIGE

 FINISHES

COLORATO WITH
POLISHED

 THICKNESS

9 MM

 FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



ICONIC BLUE



ICONIC GOLD



ICONIC NATURAL



ICONIC WHITE

△ FINISHES
COLORATO WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



IMPERIAL IVORY



IMPERIAL NATURAL



MARCELLO IVORY



MARCELLO WHITE

FINISHES

THICKNESS

9 MM

COLORATO WITH


POLISHED

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



MINGELO BLUE



MINGELO NATURAL



PERLATO BEIGE



PERLATO GREY

FINISHES
COLORATO WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING




PERLATO IVERY



PERLATO NATURAL



PERLATO WHITE



SONATA BLACK

FINISHES
COLORATO WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



SONATA BLANCO



SONATA BROWN



SONATA GREY



SONATA IVORY

FINISHES
COLORATO WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



SONATA NATURAL



TOBACCO BROWN



TOBACCO GREY



TOBACCO IVORY




 FINISHES
COLORATO WITH
POLISHED

 THICKNESS
9 MM

 FORMAT



PORCELAIN
STONEWARE



TOBACCO WHITE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING

FINISHES
IRIS WITH
POLISHED


THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Almaty Choco



Aqua Blue Marble



Aqua Blue Onyx



Aqua Dark

FINISHES
 IRIS WITH
 POLISHED

THICKNESS
 9 MM

FORMAT




PORCELAIN
 STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING




Aqua Gold



Aqua Grey Tone



Aqua marble



Aqua Onyx


FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



Arron Red



Ash Yellow



Avenue Dark



Beige Golden

FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM



FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



Blue Green Veins



Blue Liquid Swirl



Blue Mauve



Blue Red Veins

△ FINISHES
 IRIS WITH
 POLISHED

≡ THICKNESS
 9 MM

↔ FORMAT




PORCELAIN
 STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING




Burberry



Burberry White



Cloudy Onyx Beige



Cortona Grey


FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE




Emerald Green



Flowy Green



Fusion Wow



Georgia White

FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM



FORMAT

60x120cm


60x60cm

30x60cm

PORCELAIN
STONEWARE




Gold Gem Brown



Gold Silver



Green Grey



Green Katni

FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE


- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING




Green Onyx



Grey Red Veins



Kashmiri Blue Red



Kashmiri Rustic Blue

FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING




Light Green Vinyl



Light Teal



Liliyana Brown



Luxury Green Ivory



FINISHES
 IRIS WITH
 POLISHED

THICKNESS
 9 MM


FORMAT



PORCELAIN
 STONEWARE



Luxury Light Pink



Luxury Peach



Luxury Peach White



Majesto Verde

FINISHES
 IRIS WITH POLISHED

THICKNESS
 9 MM

FORMAT




PORCELAIN
 STONEWARE


- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING




Mint Onyx



Natural Blue Onyx



Natural Breccia



Natural Mineral

FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Onyx Blue Grey



Onyx Cloudy Brown



Onyx Lady



Onyx Light Yellow

FINISHES
 IRIS WITH
 POLISHED

THICKNESS
 9 MM

FORMAT



PORCELAIN
 STONEWARE


- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Onyx Pink



Onyx Rosso



Onyx Snow



Opera Onyx Sky

△ FINISHES
IRIS WITH
POLISHED


≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE


-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING




Red Pink Onyx



Rio White



Rose Quartz



Rosy Olive


FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE




Soft Green White



Soft Yellow White



Spaider Grey



Spring Multi

FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM


FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE




Stylish Natural Onyx



Teal Onyx



Turquoise Ivory



Vagli Rosato


△ FINISHES
IRIS WITH
POLISHED

≡ THICKNESS
9 MM


↔ FORMAT




PORCELAIN
STONEWARE



Versace Grey



Vetro Aqua



White Blue Murals



Yellow Chic



FINISHES

IRIS WITH
POLISHED



THICKNESS

9 MM



FORMAT



60x120cm



60x60cm



30x60cm

PORCELAIN
STONEWARE



Yellow Ivory



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING

FINISHES
SATVARIO WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION




RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING




ARBASCATO SATVARIO



BRILLO SATVARIO



Calcatta laza



CARLOS SATVARIO

△ FINISHES
SATVARIO WITH
POLISHED

≡ THICKNESS
9 MM

↕ FORMAT



PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



ELEGANT GREY



FELIS WHITE



FRENCH WHITE



GRIGIO SATVARIO

△ FINISHES
 SATVARIO WITH
 POLISHED

≡ THICKNESS
 9 MM

↔ FORMAT



PORCELAIN
 STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



ITALIANO BLACK



JACOB PEARL



JAVIER SATVARIO



KAIMAN BLUE

FINISHES SATVARIO WITH POLISHED
THICKNESS 9 MM

FORMAT



PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



LIBARTO SATVARIO



LUCIDO SATVARIO



MARTIN GREY



MILD SATVARIO

△ FINISHES
SATVARIO WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



MISTRAL



OCTAVIANO SATVARIO



OSWALD SKY



PARTICIO MOON

△ FINISHES
SATVARIO WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



PEARL BLUE




RAFAEL SATVARIO

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



RENATO SATVARIO



RIO-WHITE

FINISHES

SATVARIO WITH POLISHED

THICKNESS

9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- 

HIGH MODULE OF BREAKAGE



RESISTANCE TO FROST



RESISTANCE TO ABRASION



LOW THERMAL EXPANSION



RESISTANT TO STAINS



LOW ABSORPTION



RESISTANT TO CHEMICAL



MINIMUM DEVIATION FROM EDGE



UNDER FLOOR HEATING
-
- SATVARIO
-
- SATVARIO LUIZ
-
- SATVARIO GOLD
-
- SILVESTRE SATVARIO

△ FINISHES
SATVARIO WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE




STONEX STATUARIO



VALENTINO SATVARIO

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



VEGAS WEIGHT


△ FINISHES
3D WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



Blossom Bloom



Daisy Mosaic



Floral



Peony Paradise

△ FINISHES
3D WITH
POLISHED

≡ THICKNESS
9 MM


↔ FORMAT





PORCELAIN
STONEWARE



Windmill White



Block Grey



Block Blue



Garden Glory

FINISHES

3D WITH
POLISHED

THICKNESS

9 MM

FORMAT


- 60x120cm

60x60cm


30x60cm

PORCELAIN
STONEWARE


- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



Wood Geometric Structure



Grey White Stripes



Geometric Design



Plumeria carved stone

△ FINISHES
3D WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT





PORCELAIN
STONEWARE



White Orchid Vector



Vector damask



Paper Bloom



Sakura Flower




 FINISHES
3D WITH
POLISHED

 THICKNESS
9 MM

 FORMAT



PORCELAIN
STONEWARE



Triangle Tango

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING

△ FINISHES
SUPER WHITE WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT


60x120cm

60x60cm


30x60cm

PORCELAIN
STONEWARE


-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING




ARIA WHITE



CALACATTA ORO



CASTILA WHITE



CRAFT TORQUE STATUARIO

△ FINISHES
SUPER WHITE WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING




ITALIAN BLUE



OSET STATUARIO



REAL WHITE



SATVARIO GRAY

△ FINISHES
SUPER WHITE WITH
POLISHED

≡ THICKNESS
9 MM

↕ FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE


-  HIGH MODULE OF BREAKAGE
-  RESISTANCE TO FROST
-  RESISTANCE TO ABRASION
-  LOW THERMAL EXPANSION
-  RESISTANT TO STAINS
-  LOW ABSORPTION
-  RESISTANT TO CHEMICAL
-  MINIMUM DEVIATION FROM EDGE
-  UNDER FLOOR HEATING



SIDORNO GREEN



SMOKE STATUARIO



STATUARIO VENETIAN



VENATO GOLD



FINISHES

SUPER WHITE WITH
POLISHED



THICKNESS

9 MM



FORMAT



60x120cm



60x60cm



30x60cm

PORCELAIN
STONEWARE



VENEZIA STATUARIO



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING

FINISHES
BOOK MATCH WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

HIGH MODULE OF
BREAKAGE

RESISTANCE TO
FROST

RESISTANCE TO
ABRASION

LOW THERMAL
EXPANSION


RESISTANT TO
STAINS

LOW
ABSORPTION

RESISTANT TO
CHEMICAL

MINIMUM DEVIATION
FROM EDGE


UNDER FLOOR
HEATING




Almond Cream



Antique Azure



Ash Fusion



Ash Grey

△ FINISHES
BOOK MATCH WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING




Ashen Elegance



Beige Mirage



Blue Frost



Blue Pearl

FINISHES
BOOK MATCH WITH
POLISHED

THICKNESS
9 MM

FORMAT


60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Blue Rustic Fusion



Blue Trim



Brownstone Blend



Caramel Swirl

 FINISHES

BOOK MATCH WITH
POLISHED

 THICKNESS

9 MM

 FORMAT

60x120cm

60x60cm


30x60cm

PORCELAIN
STONEWARE


-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



Cinnamon Peach



Coastal Charm



Ocean Mist



Cream Ombre

FINISHES

THICKNESS

BOOK MATCH WITH POLISHED

9 MM

FORMAT



PORCELAIN
STONEWARE


- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING




Creamy Espresso



Denim Cream



Denim Hues



Driftwood White

FINISHES

BOOK MATCH WITH
POLISHED

THICKNESS

9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING




Earthy Brown



Elegant Essentials



Grey Herringbone



Grey Mirage

FINISHES
BOOK MATCH WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Grey Mist



Linear Grey



Misty Marble



Misty Rose

 FINISHES

BOOK MATCH WITH
POLISHED

 THICKNESS

9 MM

 FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE


-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



Mocha Mix



Neutral Oasis



Olive Haze



Rustic Charm

FINISHES
BOOK MATCH WITH
POLISHED

THICKNESS
9 MM

FORMAT



60x120cm



60x60cm



30x60cm

PORCELAIN
STONEWARE


- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Sahara Beige



Snowgold



Stormy Hues



Taupe Fusion

FINISHES
BOOK MATCH WITH
POLISHED

THICKNESS
9 MM


FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



Timeless Grey



Toffee Glaze



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING

FINISHES
DC SERIES WITH
POLISHED

THICKNESS
9 MM

FORMAT




PORCELAIN
STONEWARE


- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING




AMAZONE ASH



AMAZONE BEIGE



AMAZONE BLACK



AMAZONE BLUE

FINISHES

THICKNESS

DC SERIES WITH POLISHED


9 MM

FORMAT

- 60x120cm
- 60x60cm
- 30x60cm

PORCELAIN STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING




AMAZONE RED



AMAZONE WHITE



CRYSTAL ASH



CRYSTAL BLACK PEARL

FINISHES DC SERIES WITH POLISHED

THICKNESS 9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



CRYSTAL CHOCCO



CRYSTAL ROYAL BLUE



CRYSTAL WHITE



CRYSTAL YELLOW

FINISHES

THICKNESS

DC SERIES WITH POLISHED

9 MM

FORMAT


60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE


- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



DRAGON BLUE



DRAGON ELITE



DRAGON JASPER



DRAGON SLATE

FINISHES
DC SERIES WITH
POLISHED

THICKNESS
9 MM


FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE




DRAGON WHITE



DRAGON YELLOW



GALAXY MELODY BEIGE



GALAXY MELODY BLUE

FINISHES

DC SERIES WITH POLISHED

THICKNESS


9 MM

FORMAT


- 60x120cm
- 60x60cm
- 30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING




GALAXY MELODY GREEN



GALAXY MELODY MIST



LOTUS BIANCO



LOTUS BLUE

FINISHES
DC SERIES WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



LOTUS BROWN



LOTUS_CREMA



LOTUS_Peach



MERCURY ASH


FINISHES
 DC SERIES WITH
 POLISHED

THICKNESS
 9 MM

FORMAT



PORCELAIN
 STONEWARE



MERCURY BLUE



MERCURY BUTTERSTOCH



MERCURY FERRY



MERCURY GREY

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING

FINISHES
DC SERIES WITH
POLISHED


THICKNESS
9 MM

FORMAT




PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING




PULATI BROWN



PULATI DENIM



PULATI WHITE



REAL STONE BLUE

FINISHES
DC SERIES WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



REAL STONE BRONZE



REAL STONE COPPER



REAL STONE CREMA



REAL STONE STEEL

 FINISHES

DC SERIES WITH
POLISHED

 THICKNESS

9 MM

 FORMAT

60x120cm

60x60cm


30x60cm

PORCELAIN
STONEWARE


-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



RUMBLE AQUA



RUMBLE BLACK



RUMBLE BLUE



RUMBLE FLURRY



 FINISHES
DC SERIES WITH
POLISHED

 THICKNESS
9 MM

 FORMAT



PORCELAIN
STONEWARE



RUMBLE STROME

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING

FINISHES

ENDMATCH WITH
POLISHED

THICKNESS

9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



Antic Brown



Antique White



Beige Linen



Beige Whisper

△ FINISHES
ENDMATCH WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



Bold Brown



Bone White



Camel



Cloud Grey


△ FINISHES
ENDMATCH WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



Creamstone Mix



CreamyBeige



CreamyTimber



Dark Beige


△ FINISHES
ENDMATCH WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT




PORCELAIN
STONEWARE



Earthy



Feathered White



FossilGrey



Gold Dust

△

FINISHES

ENDMATCH WITH
POLISHED

≡

THICKNESS

9 MM

↕

FORMAT



PORCELAIN
STONEWARE

- ↓

HIGH MODULE OF
BREAKAGE
- ❄

RESISTANCE TO
FROST
- ⤵

RESISTANCE TO
ABRASION
- ↕

LOW THERMAL
EXPANSION
- ☞


RESISTANT TO
STAINS
- 💧

LOW
ABSORPTION
- 🧪


RESISTANT TO
CHEMICAL
- ⚡

MINIMUM DEVIATION
FROM EDGE
- 🔥

UNDER FLOOR
HEATING



GoldenVein Grey



Graphite Grey



Hazelnut



Light Grey Mix


FINISHES
ENDMATCH WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



Linen Cream



Moonstone



Mossy Brown



Mushroom Cream

△ FINISHES
ENDMATCH WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



Mystery White



Nova White



Onyx Super White



Oxford Sands

△ FINISHES
ENDMATCH WITH
POLISHED


≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Pale Ash



Peachy Sands



Pearl Ash



Pebble Cream

FINISHES

ENDMATCH WITH
POLISHED

THICKNESS

9 MM

FORMAT


- 60x120cm
- 60x60cm
- 30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



Pebble Grey



Rustic Ivory



Sandstone Gold



Sandstone tiles

△ FINISHES
ENDMATCH WITH
POLISHED


≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Seashell White



Shadow Tracks



Slate Grey



SoftPeach

FINISHES

ENDMATCH WITH
POLISHED

THICKNESS

9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



Steel Grey



Steel Grey Ash



Stormy Grey



Sunset Peach

△ FINISHES
ENDMATCH WITH
POLISHED

≡ THICKNESS
9 MM

↕ FORMAT



PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



Tan Oasis



Timeless Rust



Tropical Brown



Wheat Linen

△ FINISHES
ENDMATCH WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



White



White Ashwood

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



White Onyx


FINISHES
 GRANITE WITH
 POLISHED


THICKNESS
 9 MM


FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- 
 HIGH MODULE OF
 BREAKAGE


 RESISTANCE TO
 FROST


 RESISTANCE TO
 ABRASION


 LOW THERMAL
 EXPANSION



 RESISTANT TO
 STAINS


 LOW
 ABSORPTION



 RESISTANT TO
 CHEMICAL


 MINIMUM DEVIATION
 FROM EDGE


 UNDER FLOOR
 HEATING



Ocean Blue



White Platinum



Sand Brown



Oro Crystal

FINISHES

GRANITE WITH POLISHED

THICKNESS

9 MM

FORMAT

60x120cm


60x60cm

30x60cm


PORCELAIN

STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING




Powder Blue



Rustic Blue



China Red



Yellow Grey

FINISHES
GRANITE WITH
POLISHED


THICKNESS
9 MM

FORMAT




PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING




White Ice Blue



Grey Cloud



Yellow Creama



Dynamic Blue

 FINISHES

GRANITE WITH
POLISHED

 THICKNESS

9 MM

 FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



Cyan



Earthy



Rusty Yellow



Desert Brown

FINISHES

GRANITE WITH
POLISHED

THICKNESS

9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



Brown Suede



China Yellow



Brown rust



Egyptian Red

 FINISHES

GRANITE WITH
POLISHED

 THICKNESS

9 MM

 FORMAT

60x120cm

60x60cm


30x60cm

PORCELAIN
STONEWARE


-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING




Huilou yellow



Blue Sparkle



Moss Green



Brown White

FINISHES

GRANITE WITH POLISHED

THICKNESS

9 MM

FORMAT

- 60x120cm

60x60cm

30x60cm

PORCELAIN

STONEWARE



Ice Blue



Desert Cream

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING

△ FINISHES
PANTONE WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE




UNDER FLOOR
HEATING




ALCORA RED



AMAZONITE AQUA



AMAZONITE GREEN



BLAZE GREEN

△ FINISHES
PANTONE WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING




CALCATTÀ ORO RED



CANARIA AQUA



CANARIA GREY



CASTOR AQUA

FINISHES
PANTONE WITH
POLISHED


THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



CASTOR GREY



CLAIRE AQUA



CLAIRE FENTA



CRYSTAL MINT

 FINISHES
PANTONE WITH
POLISHED

 THICKNESS
9 MM

 FORMAT

60x120cm

60x60cm


30x60cm

PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



DALIM MINT



DALLAS GREEN



DALLAS TEAL



FLORIDA RAINBOW

FINISHES
PANTONE WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



FLORIDA WHITE




GLACIER SNOWFLAKE



GLESHIRE WHITE



GLESHIRE YELLOW




△ FINISHES
PANTONE WITH
POLISHED

≡ THICKNESS
9 MM


↔ FORMAT




PORCELAIN
STONEWARE



HIMALAYAN AQUA



LAVA GREY



LAVA OLIVE



MARMO BEIGE

FINISHES

PANTONE WITH
POLISHED

THICKNESS

9 MM

FORMAT




PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



MARMO WHITE



MESTO WHITE



NICCOLO GREEN



NICCOLO YELLOW

△ FINISHES
PANTONE WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

↓
HIGH MODULE OF
BREAKAGE

❄️
RESISTANCE TO
FROST

🔄
RESISTANCE TO
ABRASION

↕️
LOW THERMAL
EXPANSION


☑️
RESISTANT TO
STAINS

💧
LOW
ABSORPTION


🧪
RESISTANT TO
CHEMICAL

📐
MINIMUM DEVIATION
FROM EDGE

🔥
UNDER FLOOR
HEATING



ONYX BLAZE GREEN



ONYX BLAZE GREY



ONYX BLAZE PINK



ONYX BLAZE YELLOW

△ FINISHES
PANTONE WITH
POLISHED

≡ THICKNESS
9 MM


↔ FORMAT




PORCELAIN
STONEWARE




ONYX OLIVE PINK



ONYX ORO MINT



ONYX ORO PINK



ONYX VIOLA AQUA

FINISHES

THICKNESS

9 MM

PANTONE WITH POLISHED

FORMAT


- 60x120cm
- 60x60cm
- 30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



ONYX VIOLA WHITE



PARADISE WHITE



PIATRA PISTACHIO



ROSALIA MIST

Technical Specification /

CHARACTERISITICS	STANDARD AS PER ISO-13006/EN14411 GROUP BLA	OUR VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & width	±0.5%	±0.3%	ISO-10545-2
Deviation in thickness	±0.5%	±0.4%	ISO-10545-2
Straightness in side	±0.5%	±0.1%	ISO-10545-2
Rectangularity	±0.5%	±0.1%	ISO-10545-2
Surface Flatness	±0.5%	±02%	ISO-10545-2
Color Difference	Uniternd	No change	ISO-10545-16
Glosiness	As per mfg.	Min 90%	GLOSSO METER
Structural Properties			
Water absorption	<0.50%	<0.05%	ISO-10545-3
Apparent density	>2.0g/cc	>2.10g/cc	DIN 51082
Messavie Mechanical Properties			
Modulu's of repture	-Min.35N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 1800 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
Surface mechanical Properties			
Resistance to surface abrasion (PEI rating)	As per mfg.	Min. Class-5	ISO-10545-7
MOH's hardness	As per mfg.	Min. 5	EN 101
Thermo Hygromtrric Properties			
Frost Resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Mosture expansion	Nill	Nill	ISO-10545-10
Thermal expansion (COE)	Max.9.0x10	Max. 6.5x10 ⁹	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	ISO-10545-11
Chemical Properties			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Min. Class 3	Min. Class5	ISO-10545-14
Safety Properties			
Slip resistance	As per mfg.	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fireproof	N.A.
Lead & Cafmum given off by glazes tiles	As per mfg.	Does not yield Pb & Cd	ISO-10545-15

Packing
Detail /

SIZE	PIECES/BOX	AREA/BOX	WEIGHT/BOX (Approx)
60x120cm	2 pcs.	1.44 Sq.Mtr.	38 Kgs.
60x60cm	2 pcs.	0.72 Sq.Mtr.	32.75 Kgs.
30x60cm	5 pcs.	0.9 Sq.Mtr.	18 Kgs.



e-mail : contact@topnotchtiles.com
web : **www.topnotchtiles.com**